Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com

Web: www.oxfordlabchem.com



## MATERIAL SAFETY DATA SHEET

### **ALUMINIUM ISOPROPOXIDE**

(Extra Pure)

MSDS CAS: 555-31-7

## Section 1: Chemical Product and Company Identification

**Section 1: Chemical Product** 

**Product Name: ALUMINIUM ISOPROPOXIDE** 

CAS#: 555-31-7

Synonym:

Chemicals Name: Aluminum isopropylate Chemical Formula: Al(O(CH<sub>3</sub>)CHCH<sub>3</sub>)<sub>3</sub>

**Brand: OXFORD** 

### **Details Of The Supplier Of The Safety Data Sheet:**

Company identification: OXFORD LAB FINE CHEM LLP

Unit. No. 12, 1st Floor, Neminath Industrial Estate No. 6,

Navghar, Vasai (East). Palghar - 401 210.

Mumbai, Maharashtra, INDIA.

Tel: 91-250-2390989

Tel/Fax: 91-250-2390032

# **Section 2: Composition and Information on Ingredients**

#### **Composition:**

Name	CAS#	% by Weight
Aluminum isopropoxide	555-31-7	100

Toxicological Data on Ingredients: Aluminum isopropoxide: ORAL (LD50): Acute: 11300 mg/kg [Rat.].

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com

Web: www.oxfordlabchem.com



# **Section 3: Hazards Identification**

Potential Acute Health Effects: Very hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

Potential Chronic Health Effects: CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance is toxic to lungs, mucous membranes. Repeated or prolonged exposure to the substance can produce target organs damage.

### **Section 4: First Aid Measures**

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an antibacterial cream. Seek medical attention.

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Serious Inhalation:** Not available.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

Serious Ingestion: Not available.

# **Section 5: Fire and Explosion Data**

Flammability of the Product: May be combustible at high temperature.

Auto-Ignition Temperature: Not available.

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. 

## **Section 5: Fire and Explosion Data (Continued)**

Flash Points: Not available.

Flammable Limits: Not available.

Products of Combustion: These products are carbon oxides (CO, CO2). Some metallic oxides.

Fire Hazards in Presence of Various Substances: Not available.

Explosion Hazards in Presence of Various Substances: Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Not available.

### **Section 6: Accidental Release Measures**

<u>Small Spill</u>: Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

<u>Large Spill</u>: Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

## **Section 7: Handling and Storage**

<u>Precautions</u>: Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe dust. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as acids, moisture.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area.

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



# **Section 8: Exposure Controls/Personal Protection**

<u>Engineering Controls:</u> Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

<u>Personal Protection</u>: Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

<u>Personal Protection in Case of a Large Spill</u>: Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

**Exposure Limits:** Not available.

## **Section 9: Physical and Chemical Properties**

Physical state and appearance: Solid. (Solid.)
Odor : Not available.
Taste : Not available.
Molecular Weight : 204.25 g/mole

Color : White.

pH (1% soln/water) : Not applicable. **Boiling Point** : Decomposes. **Melting Point**  $: 130^{\circ}C (266^{\circ}F)$ **Critical Temperature** : Not available. **Specific Gravity** : 1.03 (Water = 1)Vapor Pressure : Not applicable. **Vapor Density** : Not available. Volatility : Not available. **Odor Threshold** : Not available. Water/Oil Dist. Coeff. : Not available **Ionicity (in Water)** : Not available.

**Dispersion Properties**: See solubility in water, methanol.

**Solubility** : Soluble in methanol. Insoluble in cold water, hot water.

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



## **Section 10: Stability and Reactivity Data**

**Stability:** The product is stable.

Instability Temperature: Not available. Conditions of Instability: Not available.

Incompatibility with various substances: Highly reactive with moisture. Reactive with acids.

**Corrosivity:** Non-corrosive in presence of glass.

Special Remarks on Reactivity: May decompose on exposure to moist air or water.

Special Remarks on Corrosively: Not available.

Polymerization: Will not occur.

### **Section 11: Toxicological Information**

Routes of Entry: Dermal contact. Eye contact. Inhalation. Ingestion. Toxicity to Animals: Acute oral toxicity (LD50): 11300 mg/kg [Rat.].

Chronic Effects on Humans: Causes damage to the following organs: lungs, mucous membranes. Other Toxic Effects on Humans: Very hazardous in case of skin contact (irritant, permeator), of

ingestion, of inhalation.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

### **Section 12: Ecological Information**

**Ecotoxicity:** Not available.

**BOD5** and COD: Not available.

Products of Biodegradation: Possibly hazardous short term degradation products are not likely.

However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation: Not available.

# **Section 13: Disposal Considerations**

#### **Waste Disposal:**

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com

Web: www.oxfordlabchem.com



# **Section 14: Transport Information**

#### **Land transport (ADR-RID)**

Proper shipping name : METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.

UN N° : 3183 ADR – Class : 4.1

#### Sea transport (IMDG) [English only]

Proper shipping name : METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.

UN N° : 3181 IMO-IMDG - Class or division: 4.1. IMO-IMDG - Packing group : II

#### Air transport (ICAO-IATA) [English only]

Proper shipping name : METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.

UN N° : 3181 IATA - Class or division : 4.1. IATA - Packing grou : III

# **Section 15: Other Regulatory Information**

Federal and State Regulations: TSCA 8(b) inventory: Aluminum isopropoxide

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

**Other Classifications:** 

WHMIS (Canada): CLASS D-2A: Material causing other toxic effects (VERY TOXIC).

DSCL (EEC): R38- Irritating to skin. R41- Risk of serious damage to eyes.

HMIS (U.S.A.): Health Hazard: 2 Fire Hazard: 1 Reactivity: 2

**Personal Protection: E** 

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com

Web: www.oxfordlabchem.com



**National Fire Protection Association (U.S.A.):** 

Health: 2

Flammability: 1 Reactivity: 2 **Specific hazard:** 

Protective Equipment: Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator

or equivalent. Safety glasses.

## **Section 16 - Additional Information**

References: Not available.

Other Special Considerations: Not available.

### Disclaimer:

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210.

Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com /

info@oxfordlabchem.com Web: www.oxfordlabchem.com

