

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## MATERIAL SAFETY DATA SHEET

### CELLULOSE ACETATE PHTHALATE (C.A.P)

MSDS CAS: 9004-38-0

#### Section 1: Chemical Product and Company Identification

##### Section 1: Chemical Product

**Product Name:** Cellulose Acetate Phthalate.

**CAS#:** 9004-38-0

**Synonym:** Cellacefate

**Chemical Name:** Cellacefate

**Chemical Formula:** Not available.

**Brand :** OXFORD

##### Details Of The Supplier Of The Safety Data Sheet :

**Company identification:** OXFORD LAB FINE CHEM LLP  
Unit. No. 12, 1st Floor, Neminath Industrial Estate No. 6,  
Navghar, Vasai (East). Palghar - 401 210.  
Mumbai, Maharashtra, INDIA.  
Tel: 91-250-2390989  
Tel/Fax: 91-250-2390032

#### Section 2: Composition and Information on Ingredients

##### Composition:

Name	CAS #	% by Weight
Cellacefate	9004-38-0	100

**Toxicological Data on Ingredients:** Cellacefate LD50: Not available. LC50: Not available.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals

## Section 3: Hazards Identification

### Potential Acute Health Effects:

Hazardous in case of eye contact (irritant), of ingestion, of inhalation (lung irritant).

### Potential Chronic Health Effects:

**CARCINOGENIC EFFECTS:** Not available.

**MUTAGENIC EFFECTS:** Not available.

**TERATOGENIC EFFECTS:** Not available.

**DEVELOPMENTAL TOXICITY:** Not available.

Repeated or prolonged exposure is not known to aggravate medical condition.

## Section 4: First Aid Measures

### Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

Skin Contact: No known effect on skin contact, rinse with water for a few minutes.

Serious Skin Contact: Not available.

### Inhalation:

Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation: Not available.

### Ingestion:

Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion: Not available.

## Section 5: Fire and Explosion Data

Flammability of the Product: May be combustible at high temperature.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals

## Section 5: Fire and Explosion Data (Continued)

**Auto-Ignition Temperature:** 416°C (780.8°F)

**Flash Points:** Not available.

**Flammable Limits:** Not available.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** Not available.

**Explosion Hazards in Presence of Various Substances:**

Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

**Fire Fighting Media and Instructions:**

**SMALL FIRE:** Use DRY chemical powder.

**LARGE FIRE:** Use water spray, fog or foam. Do not use water jet.

**Special Remarks on Fire Hazards:** Not available.

**Special Remarks on Explosion Hazards:** Not available.

## Section 6: Accidental Release Measures

**Small Spill:**

Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

**Large Spill:**

Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals

## Section 7: Handling and Storage

### Precautions:

Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not breathe dust. Avoid contact with eyes. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If you feel unwell, seek medical attention and show the label when possible.

### Storage:

Keep container dry. Keep in a cool place. Ground all equipment containing material. Keep container tightly closed. Keep in a cool, well-ventilated place. Combustible materials should be stored away from extreme heat and away from strong oxidizing agents.

## Section 8: Exposure Controls/Personal Protection

### Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

### Personal Protection:

Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent.  
Gloves

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not available.

## Section 9: Physical and Chemical Properties

Physical state and appearance: Solid

Odor : Odorless.

## Section 9: Physical and Chemical Properties (Continued)

<b>Taste</b>	: Not available.
<b>Molecular Weight</b>	: Not available.
<b>Color</b>	: Not available.
<b>pH (1% soln/water)</b>	: Not available.
<b>Boiling Point</b>	: Not available.
<b>Melting Point</b>	: Not available.
<b>Critical Temperature</b>	: Not available.
<b>Specific Gravity</b>	: Not available.
<b>Vapor Pressure</b>	: Not available.
<b>Vapor Density</b>	: Not available.
<b>Volatility</b>	: Not available.
<b>Odor Threshold</b>	: Not available.
<b>Water/Oil Dist. Coeff.</b>	: Not available.
<b>Ionicity (in Water)</b>	: Not available.
<b>Dispersion Properties</b>	: Not available.
<b>Solubility</b>	: Very slightly soluble in cold water.

## Section 10: Stability and Reactivity Data

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Not available.

**Incompatibility with various substances:** Not available.

**Corrosivity:** Not available.

**Special Remarks on Reactivity:** Not available.

**Special Remarks on Corrosivity:** Not available.

**Polymerization:** No.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals

## Section 11: Toxicological Information

**Routes of Entry:** Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** LD50: Not available. LC50: Not available.

**Chronic Effects on Humans:** Not available.

**Other Toxic Effects on Humans:** Hazardous in case of ingestion, of inhalation (lung irritant).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** Not available.

**Special Remarks on other Toxic Effects on Humans:** Not available.

## Section 12: Ecological Information

**Ecotoxicity:** Not available.

**BOD5 and COD:** Not available.

**Products of Biodegradation:**

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** Not available.

**Special Remarks on the Products of Biodegradation:** Not available.

## Section 13: Disposal Considerations

**Waste Disposal :**

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## Section 14: Transport Information

### Land transport (ADR-RID)

**General information :** Not regulated.

### Sea transport (IMDG) [English only]

**General information :** Not regulated.

### Air transport (ICAO-IATA) [English only]

**General information :** Not regulated.

## Section 15: Other Regulatory Information

### Federal and State Regulations:

**California prop. 65:** This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute: Cellacefate  
**California prop. 65:** This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Cellacefate  
**TSCA 8(b) inventory:** Cellacefate

**Other Regulations:** Not available..

### Other Classifications:

**WHMIS (Canada):** Not controlled under WHMIS (Canada).

**DSCL (EEC):** R36/37- Irritating to eyes and respiratory system.

### HMIS (U.S.A.):

**Health Hazard:** 1

**Fire Hazard:** 1

**Reactivity:** 0

**Personal Protection:** E

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## Section 15: Other Regulatory Information (Continued)

### National Fire Protection Association (U.S.A.):

**Health: 0**

**Flammability: 1**

**Reactivity: 0**

**Specific hazard:**

### Protective Equipment:

Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Splash goggles.

## Section 16 - Additional Information

References: Not available.

Other Special Considerations: Not available.

### *Disclaimer:*

\*\*\*\*\*

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.