Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. 

# MATERIAL SAFETY DATA SHEET

## PARAFFIN WAX WITH CERESIN

(Congealing Point about 60°C) MSDS CAS: 8002-74-2

## Section 1: Chemical Product and Company Identification

**Section 1: Chemical Product** 

**Product Name: PARAFFIN WAX WITH CERESIN** 

CAS#: 8002-74-2

Synonym: Not Available.

Chemical Name: Paraffin Wax with Ceresin

Chemical Formula: Not Available.

**Brand: OXFORD** 

## **Details Of The Supplier Of The Safety Data Sheet:**

Company identification: OXFORD LAB FINE CHEM LLP

Unit. No. 12, 1st Floor, Neminath Industrial Estate No. 6,

Navghar, Vasai (East). Palghar - 401 210.

Mumbai, Maharashtra, INDIA.

Tel: 91-250-2390989

Tel/Fax: 91-250-2390032

# **Section 2: Composition and Information on Ingredients**

### **Composition:**

Substance name	CAS#	% by Weight
Paraffin Wax with Ceresin	8002-74-2	100

**Toxicological Data on Ingredients:** Not applicable.

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. 

## **Section 3: Hazards Identification**

#### **Potential Acute Health Effects:**

Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation.

#### **Potential Chronic Health Effects:**

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged exposure is not known to aggravate medical condition.

# **Section 4: First Aid Measures**

#### **Eye Contact:**

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.

#### **Skin Contact:**

Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops.

**Serious Skin Contact:** Not available.

#### **Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Serious Inhalation:** Not Available.

#### **Ingestion:**

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

**Serious Ingestion:** Not available.

# **Section 5: Fire and Explosion Data**

Flammability of the Product: May be combustible at high temperature.

Auto-Ignition Temperature: 245°C (473°F) - 340° C

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. 

# **Section 5: Fire and Explosion Data (Continued)**

Flash Points: CLOSED CUP: 199°C (390.2°F). OPEN CUP: 235°C (455°F).

Flammable Limits: Not available.

**Products of Combustion:** Not available.

### Fire Hazards in Presence of Various Substances:

Slightly flammable to flammable in presence of heat. Non-flammable in presence of shocks.

### **Explosion Hazards in Presence of Various Substances:**

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

#### Fire Fighting Media and Instructions:

SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

**Special Remarks on Fire Hazards:** Not available.

Special Remarks on Explosion Hazards: Not available.

## **Section 6: Accidental Release Measures**

<u>Small Spill:</u> Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

<u>Large Spill:</u> Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

# **Section 7: Handling and Storage**

<u>Precautions:</u> Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not breathe dust. Keep away from incompatibles such as oxidizing agents.

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com Web: www.oxfordlabchem.com



# **Section 7: Handling and Storage (Continued)**

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area.

# **Section 8: Exposure Controls/Personal Protection**

### **Engineering Controls:**

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

#### **Personal Protection:**

Safety glasses. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

#### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist **BEFORE** handling this product.

#### **Exposure Limits:**

Paraffin Wax (Fume) TWA: 2 STEL: 6 (mg/m3) [Canada] TWA: 2 (mg/m3) from OSHA (PEL) [United States] TWA: 2 (mg/m3) from ACGIH (TLV) [United States] TWA: 2 (mg/m3) from NIOSH [United States] TWA: 2 STEL: 6 [United Kingdom (UK)] Consult local authorities for acceptable exposure limits.

## **Section 9: Physical and Chemical Properties**

Physical state and appearance : Solid.

Odor : Not available.

**Taste** : Not available.

Molecular Weight : Not available.

Color

pH (1% soln/water) : Not applicable.

**Boiling Point** : Not available.

**Melting Point** : Not available.

**Critical Temperature** : Not available.

**Specific Gravity** : Not available. Vapor Pressure : Not applicable.

www.oxfordlabchem.com

: White Flakes

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. 

# **Section 9: Physical and Chemical Properties (Continued)**

Vapor Density

Volatility

Odor Threshold

Water/Oil Dist. Coeff.

Ionicity (in Water)

Dispersion Properties

Solubility

: Not available.

Not available.

Not available.

Not available.

# **Section 10: Stability and Reactivity Data**

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Excess heat.

**Incompatibility with various substances:** Reactive with oxidizing agents.

**Corrosivity:** Non-corrosive in presence of glass.

**Special Remarks on Reactivity:** Not available.

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

# **Section 11: Toxicological Information**

**Routes of Entry:** Eye contact. Inhalation. Ingestion.

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. 

# **Section 11: Toxicological Information (Continued)**

**Toxicity to Animals:** LD50: Not available. LC50: Not available.

**Chronic Effects on Humans:** Not available.

#### **Other Toxic Effects on Humans:**

Slightly hazardous in case of skin contact (irritant), of ingestion, of inhalation.

**Special Remarks on Toxicity to Animals: Not available.** 

Special Remarks on Chronic Effects on Humans: Not available.

#### **Special Remarks on other Toxic Effects on Humans:**

Acute Potential Health Effects: Skin: Solid material is not expected to be an irritant, but it may cause mild skin irritation. Eyes: Solid materials is not expected to be an irritant, but it may cause mild eye irritation. Vapors from molten wax may cause eye irritation. Inhalation: Low hazard. Paraffin wax fumes may be irritating to the eyes nose and throat. And may also produce nausea. 'However, vapors emitted from molten wax are expected to have a low degree of irritation by inhalation. Ingestion: Ingested paraffin wax is not absorbed, and is considered nontoxic. Ingestion of large amounts may have a mild laxative effect and cause diarrhea. Chronic Potential Health Effects: Skin: Poor personal hygiene can lead to wax plugging of skin follicles and producing so-called "Wax Boils".

## **Section 12: Ecological Information**

**Ecotoxicity:** Not available.

**BOD5** and **COD**: Not available.

### **Products of Biodegradation:**

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** Not available.

Special Remarks on the Products of Biodegradation: Not available.

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



## **Section 13: Disposal Considerations**

### **Waste Disposal:**

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

# **Section 14: Transport Information**

**Land transport (ADR-RID)** 

General information : Not regulated.

Sea transport (IMDG) [English only]

General information : Not regulated.

Air transport (ICAO-IATA) [English only]

General information : Not regulated.

# **Section 15: Other Regulatory Information**

#### **Federal and State Regulations:**

Illinois toxic substances disclosure to employee act: Wax (Paraffin) Fume Rhode Island RTK hazardous substances: Wax (Paraffin) Fume Pennsylvania RTK: Wax (Paraffin) Minnesota: Wax (Paraffin) Fume Massachusetts RTK: Wax (Paraffin) Fume TSCA 8(b) inventory: Wax (Paraffin)

#### **Other Regulations:**

EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

#### **Other Classifications:**

WHMIS (Canada): Not controlled under WHMIS (Canada).

**DSCL** (EEC): This product is not classified according to the EU regulations. Not applicable.

#### **HMIS (U.S.A.):**

Health Hazard: 1
Fire Hazard: 1
Reactivity: 0

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



# **Section 15: Other Regulatory Information (Continued)**

**Personal Protection: E** 

### **National Fire Protection Association (U.S.A.):**

Health: 0

Flammability: 1 Reactivity: 0 Specific hazard:

### **Protective Equipment:**

Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Safety glasses.

# **Section 16 - Additional Information**

References: Not available.

Other Special Considerations: Not available.

## Disclaimer:

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.

www.oxfordlabchem.com

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210.

Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com

Web: www.oxfordlabchem.com

