

## **MATERIAL SAFETY DATA SHEET**

### **POTASSIUM DICHROMATE 99.5%**

**Extra Pure**

**(Potassium Bichromate)**

**MSDS CAS: 7778-50-9**

## **Section 1: Chemical Product and Company Identification**

### **Section 1: Chemical Product**

**Product Name: POTASSIUM DICHROMATE**

**CAS#: 7778-50-9**

**Synonym: Bichromate of potash; Dipotassium Dichromate;  
Potassium bichromate; Potassium dichromate (VI)**

**Chemical Name: Potassium Dichromate**

**Chemical Formula:  $K_2Cr_2O_7$**

**Brand: OXFORD**

### **Details Of The Supplier Of The Safety Data Sheet :**

**Company identification: OXFORD LAB FINE CHEM LLP  
Unit. No. 12, 1st Floor, Neminath Industrial Estate No. 6,  
Navghar, Vasai (East). Palghar - 401 210.  
Mumbai, Maharashtra, INDIA.  
Tel: 91-250-2390989  
Tel/Fax: 91-250-2390032**

## **Section 2: Composition and Information on Ingredients**

### **Composition:**

Name	CAS #	% by Weight
Potassium Dichromate	7778-50-9	100

**Toxicological Data on Ingredients: Potassium dichromate LD50: Not available. LC50: Not available.**

## Section 3: Hazards Identification

**Potential Acute Health Effects:** Extremely hazardous in case of skin contact (permeator). Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive, sensitizer), of eye contact (corrosive), of inhalation (lung irritant). Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause espiratory irritation. Severe over-exposure can result in death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:** Slightly hazardous in case of skin contact (sensitizer).

**CARCINOGENIC EFFECTS:** Classified A1 (Confirmed for human.) by ACGIH. **MUTAGENIC EFFECTS:** Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast. **TERATOGENIC EFFECTS:** Not available. **DEVELOPMENTAL TOXICITY:** Not available. The substance may be toxic to blood, kidneys, lungs, liver, upper respiratory tract, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

## Section 4: First Aid Measures

**Eye Contact:** Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.

**Skin Contact:** After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. Cover the irritated skin with an emollient. If irritation persists, seek medical attention.

**Serious Skin Contact:** Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

**Inhalation:** Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

**Serious Inhalation:** Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

**Ingestion:** Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

**Serious Ingestion:** Not available.

## Section 5: Fire and Explosion Data

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not available.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials

**Explosion Hazards in Presence of Various Substances:**

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

**Fire Fighting Media and Instructions:** Not applicable.

**Special Remarks on Fire Hazards:** Dangerous in contact with organic materials. Contact with combustible or organic materials may cause fire. When heated to decomposition it emits toxic fumes of potassium oxide

**Special Remarks on Explosion Hazards:**

Reacts explosively with hydrazine, and anhydrous hydroxylamine.

## Section 6: Accidental Release Measures

**Small Spill:** Use appropriate tools to put the spilled solid in a convenient waste disposal container.

**Large Spill:** Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

## Section 7: Handling and Storage

**Precautions:** Keep locked up Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material Do not breathe dust. Never add water to this product In case of insufficient ventilation, wear suitable respiratory equipment If you feel unwell, seek medical attention and show the label when possible. Avoid contact with skin and eyes Keep away from incompatibles such as reducing agents, combustible materials, organic materials.

**Storage:** Oxidizing materials should be stored in a separate safety storage cabinet or room.

## Section 8: Exposure Controls/Personal Protection

**Engineering Controls:** Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

**Personal Protection:** Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

**Personal Protection in Case of a Large Spill:** Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

**Exposure Limits:** CEIL: 0.1 (mg(CrO<sub>3</sub>)/m ) from OSHA (PEL) [United States] TWA: 0.05 (mg(Cr)/m) from ACGIH (TLV) [United States] Consult local authorities for acceptable exposure limits.

## Section 9: Physical and Chemical Properties

Physical state and appearance: Solid.

Odor	: Odorless.
Taste	: Bitter. metallic.
Molecular Weight	: 294.2 g/mole
Color	: Orange-Red.
pH (1% soln/water)	: 4 [Acidic.]
Boiling Point	: Decomposition temperature: 500°C (932°F)
Melting Point	: 398°C (748.4°F)
Critical Temperature	: Not applicable.
Specific Gravity	: 2.676 @ 25 deg. C (Water = 1) Bulk Density: 1.6 g/m <sup>3</sup> @ 20 deg. C

## Section 9: Physical and Chemical Properties (Continued)

Vapor Pressure	: Not applicable.
Vapor Density	: Not applicable.
Volatility	: Not available.
Odor Threshold	: Not applicable.
Water/Oil Dist. Coeff.	: Not applicable.
Ionicity (in Water)	: Not available.
Dispersion Properties	: See solubility in water.
Solubility	: Easily soluble in hot water. Soluble in cold water. Solubility in water: 4.9 g/100 ml water @ 0 deg. C Solubility in water: 10.5% (w/w) @ 20 deg. C Solubility in water: 102 g/100 ml water @ 100 deg. C Insoluble in alcohol.

## Section 10: Stability and Reactivity Data

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials

**Incompatibility with various substances:** Reactive with reducing agents, combustible materials, organic materials, metals, acids, alkalis.

**Corrosivity:** Non-corrosive in presence of glass.

**Special Remarks on Reactivity:** Reacts violently or ignites with ethylene glycol above 100 deg. C Other Incompatibles: combustible, organic, or other readily oxidizable materials such as paper, wood, sulfur, aluminum, iron, tungsten, sulfuric acid + acetone, born, glycol, sulfur, plastics

**Special Remarks on Corrosivity:** Not available.

**Polymerization:** No.

## Section 11: Toxicological Information

**Routes of Entry:** Absorbed through skin. Dermal contact. Eye contact. Inhalation. Ingestion.

## Section 11: Toxicological Information (Continued)

### Toxicity to Animals:

Acute oral toxicity (LD50): 25 mg/kg [Rat]. Acute dermal toxicity (LD50): 14 mg/kg [Rabbit].

**Chronic Effects on Humans:** CARCINOGENIC EFFECTS: Classified A1 (Confirmed for human.) by ACGIH. MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast. May cause damage to the following organs: blood, kidneys, lungs, liver, upper respiratory tract, skin, eyes.

**Other Toxic Effects on Humans:** Extremely hazardous in case of skin contact (permeator). Very hazardous in case of skin contact (irritant), of ingestion,. Hazardous in case of skin contact (corrosive, sensitizer), of eye contact (corrosive), of inhalation (lung irritant)

**Special Remarks on Toxicity to Animals:** Lowest Published Lethal Dose: LDL [Man] - Route: Oral; Dose: 143 mg/kg LDL [Child] - Route: Oral; Dose 26 mg/kg

**Special Remarks on Chronic Effects on Humans:** Passes through the placental barrier in animal. May cause adverse reproductive effects and birth defects (teratogenic). May affect genetic material (mutagenic)

**Special Remarks on other Toxic Effects on Humans:** Acute Potential Health Effects: Skin: It causes skin irritation and may cause skin burns. It can be absorbed by the skin and cause systemic effects. Deep ulceration of the skin of the hands, resulting from occupational exposure can penetrate as far as the bone in severe cases. Eyes: Causes eye irritation and may cause eye burns. It may cause severe damage with possible loss of vision, transient corneal bulging, residual irregular astigmatism, and anesthesia of the area after bulging resolves. Inhalation: Causes respiratory tract irritation. Inhalation of dust or mist can also cause irritation of the nose and eyes. Symptoms may include sneezing, rhinorrhea, throat erythema, nasal septum lesions, or perforation with with bleeding, discharge, or crusting Ingestion: Harmful if swallowed. When ingested in small amounts, it can cause burns of the esophagus, with possible stricture formation and perforation of the stomach. Symptoms may include abdominal and esophageal pain, nausea, vomiting, hypermotility, diarrhea, gastrointestinal tract irritation and bleeding, respiratory distress, cyanosis, coma, and death. It may also affect the cardiovascular system (cardiovascular shock, peripheral vascular collapse, urinary system (kidney damage - nephritis with glycosuria, acute tubular necrosis, renal failure), liver (elevated liver enzyme levels, hepatitis, hepatic failure), behavior/central nervous system/nervous system (somnolence, ataxia, vertigo, muscle cramps). It may also affect the blood and cause anemia, methemoglobinemia (characterized by dizziness, drowsiness, headache, shortness of breath, cyanosis with bluish skin, rapid heart.

## Section 12: Ecological Information

**Ecotoxicity:** Ecotoxicity in water (LC50): 75 mg/l 96 hours [Fish (Striped bass)]. 1.5 mg/l 24 hours [Daphnia (daphnia)]. 17.3 mg/l 11 hours [Fish (Fathead minnow)].

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The products of degradation are more toxic.

**Special Remarks on the Products of Biodegradation:** Dangerous to aquatic life in high concentrations. Chromium probably occurs as the insoluble (CrIII) oxide ( $\text{Cr}_2\text{O}_3 \cdot n\text{H}_2\text{O}$ ) in the soil, as the organic matter in the soil is expected to reduce any soluble chromate to insoluble chromic oxide ( $\text{Cr}_2\text{O}_3$ ). Chromium in the soil can be transported to the atmosphere by way of aerosol formation. Chromium is also transported from the soil through runoff and leaching of water. Most of the chromium in surface waters may be present in particulate form as sediment. Some of the particulate chromium would remain as suspended matter and ultimately be deposited in the sediments. Chromium present usually as (CrIII) in the soil and is characterized by its lack of mobility, except in cases where Cr(VI) is involved. Chromium (VI) of natural origin is rarely found.

## Section 13: Disposal Considerations

### Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## Section 14: Transport Information

### Land transport (ADR-RID)

Proper shipping name: Oxidizing solid, toxic, n.o.s.

UN N°: 3087

H.I. nr: 665

ADR – Class: 5.1(6.1)

Labelling – Transport: 5.1 : Oxidizing substances.6.1 : Toxic substances.

ADR – Group: II

## Section 14: Transport Information (Continued)

### Sea transport (IMDG) [English only]

Proper shipping name: Oxidizing solid, toxic, n.o.s

UN N°: 3087

IMO-IMDG - Class or division: 5.1 : Oxidizing substances. (6.1 : Toxic substances.)

IMO-IMDG - Packing group: II

### Air transport (ICAO-IATA) [English only]

Proper shipping name: Oxidizing solid, toxic, n.o.s.

UN N°: 3087

IATA - Class or division: 5.1 : Oxidizing substances. (6.1 : Toxic substances.)

IATA - Packing group: II

## Section 15: Other Regulatory Information

**Federal and State Regulations:** California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute: Potassium dichromate California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Potassium dichromate Pennsylvania RTK: Potassium dichromate Massachusetts RTK: Potassium dichromate TSCA 8(b) inventory: Potassium dichromate SARA 313 toxic chemical notification and release reporting: Potassium dichromate CERCLA: Hazardous substances.: Potassium dichromate

### Other Regulations:

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

WHMIS (Canada): CLASS C: Oxidizing material. CLASS D-1A: Material causing immediate and serious toxic effects (VERY TOXIC). CLASS D-2A: Material causing other toxic effects (VERY TOXIC).

DSCL (EEC): R21- Harmful in contact with skin. R25- Toxic if swallowed. R26- Very toxic by inhalation. R37/38- Irritating to respiratory system and skin. R41- Risk of serious damage to eyes. R43- May cause sensitization by skin contact. R46- May cause heritable genetic damage. R49- May cause cancer by inhalation. R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S53- Avoid exposure - obtain special instructions before use. S60- This material and its container must be disposed of as hazardous waste. S61- Avoid release to the environment. Refer to special instructions/Safety data sheets.

## Section 15: Other Regulatory Information (Continued)

**HMIS (U.S.A.):**

**Health Hazard: 4**

**Fire Hazard: 0**

**Reactivity: 0**

**Personal Protection: E**

**National Fire Protection Association (U.S.A.):**

**Health: 4**

**Flammability: 0**

**Reactivity: 0**

**Specific hazard:**

**Protective Equipment:** Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

## Section 16 - Additional Information

**References:** Not available.

**Other Special Considerations:** Not available.

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

## ***Disclaimer:***

\*\*\*\*\*

**The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.**

**Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.**