

TECHNICAL DATA SHEET

Nutrient Broth

Principle

Nutrient broth is a basic media and commonly used for cultivation, enrichment, enumeration, prolonged maintenance and storage of wide variety of microbes. The nutrient broth is widely used as non-selective microbial media for routine microbiology analysis and cultivation of non-fastidious organisms. Nutrient broth is ideal microbial media for teaching, demonstration and routine analysis. Nutrient Broth (NB) is a simple medium composed of the peptone, meat extract (Equivalent to beef extract), yeast extract and sodium chloride. Peptone, meat extract and yeast extract provide ample amount of the carbon and nitrogen essential and non-essential amino acids, along with the vitamins and trace minerals. Sodium chloride maintains the osmotic equilibrium of the medium.

Use: For the general cultivation of less fastidious microorganisms, can be enriched with blood.

Contents*

Ingredients	Gram/Liter
Peptone	5.0
Meat Extract #	1.5
Yeast Extract	1.5
Sodium Chloride	5.0
pH at 25°C	7.4 ±0.2

* Formula adjusted for optimum performance and parameters # Equivalent to beef extract

Directions: Dissolve 13.00 grams in 1000 ml distilled water. Boil to dissolve the medium completely and distribute aseptically. Sterilize by autoclaving at 15 lbs pressure (121 °C) for 15 min, cool it to 42-45 °C and inoculate test sample aseptically.

Specimens types analyzed

Pharmaceutical samples, clinical and non-clinical samples, soil, water, food and dairy samples etc.

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Precautions to be taken

All the handling, experiments, storage, and discarding should be performed with the help of skilled and knowledgeable technicians and as per the established guidelines. The material should be disposed only after proper sterilization by autoclaving. Please go through the MSDS of the media to avoid any accidents or in emergency.

Performance and Evaluation

The expected performance of the medium is liable to use as per the direction on the label when stored at optimum conditions and within expiry date.

Quality Control

Appearance	Beige colored free flowing, homogeneous powder
Reaction of 1.3% solution	7.4 $\pm$ 0.2 at 25 °C
pH	7.20- 7.60
Color and clarity of ready medium	Pale yellow colored clear to slightly opalescent solution.
Growth Promotion properties	Best at $\leq$ 100 CFU at 32-37 °C for 18-72 h
Indicative properties	Optimum at $\leq$ 100 CFU at 32-37 °C for 18-48 h
Negative control	Performed using sterile distilled water

Different Microbial Response: Cultural characteristics observed after incubation at 33-37°C for 18-24 hours.

Organism	ATCC	Inoculum (CFU)	Growth
<i>Escherichia coli</i>	8739	50-100	Luxuriant
<i>Escherichia coli</i>	25922	50-100	Luxuriant
<i>Salmonella typhimurium</i>	14028	50-100	Luxuriant
<i>Pseudomonas aeruginosa</i>	27853	50-100	Luxuriant
<i>Bacillus spizizenii</i>	6633	50-100	Luxuriant
<i>Staphylococcus aureus</i>	25923	50-100	Luxuriant

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Storage and Shelf Life: The product is highly hygroscopic; keep the container tightly closed at all times and store it properly as per the conditions mentioned on the label. The declared expiry is valid only when stored as per the conditions mentioned on the label. Note: Sterilize media immediately after reconstitution.

Disposal: To avoid the contamination or propagation of any hazardous microbes the used, unusable or modified preparation of this product must be disposed after autoclaving after completion of task.

Reference

1. Atlas, R. M. (2005). Handbook of media for environmental microbiology. CRC press.
2. Difco Manual (1998). 11th Edition. Difco Laboratories., Division of Becton Dickinson and Company, Sparks, Maryland, USA.
3. Jorgensen, J.H., Pfaller, M.A., Carroll, K.C., Funke, G., Landry, M.L., Richter, S.S and Warnock, D.W. (2015), Manual of Clinical Microbiology, 11th Edition. Vol. 1.
4. Rand, M. C., Arnold E. Greenberg, and Michael J. Taras, (1976), Standard methods for the examination of water and wastewater. Prepared and published jointly by American Public Health Association, American Water Works Association, and Water Pollution Control Federation.

Disclaimer:

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.

This document has been produced electronically and it is valid without signature.

www.oxfordlabchem.com