

TECHNICAL DATA SHEET Alternative Thioglycollate Medium

Principle

Thioglycollate broth, alternative is formulated as described in the N.I.H. memorandum (1955). Fluid Thioglycollate Medium is composed of tryptone, yeast extract, dextrose, sodium chloride, L-cystine and sodium thioglycollate. Tryptone serves as a source of nitrogen, amino acids and other essential nutrients. Yeast extract provide essential nutrients to the contaminants, if present. Dextrose serves as the energy source. Sodium chloride maintains the osmotic balance of the medium. L-cystine, and sodium thioglycollate lower the oxidation-reduction potential of the medium by removing oxygen to maintain a low Eh.

Use: For sterility testing of turbid or viscous biological products.

Contents:

Ingredients	Gram/Litre
Tryptone	15.000
Yeast Extract	5.000
Dextrose	5.500
Sodium Chloride	2.500
L-Cystine	0.500
Sodium Thioglycollate	0.500
pH at 25°C	7.1 ±0.2

* Formula adjusted for optimum performance and parameters

Directions: Dissolve 29.00 grams in 1000 ml distilled water. Heat, if necessary, to dissolve the medium completely. Distribute in desire. Sterilize by autoclaving at 15 lbs pressure (121 °C) for 15 min, Cool to 2025°C and inoculate test sample aseptically.

Specimens' types analyzed

Turbid or viscous biological or pharmaceutical products etc.

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com

Oxford
Range of
Laboratory Chemicals

Precautions to be taken

These microbial media are intended for the in-vitro use only. All the handling, experiments, storage, and discarding should be performed with the help of skilled and knowledgeable technicians and as per the established guidelines. The material should be disposed only after proper sterilization by autoclaving. Please go through the MSDS of the media to avoid any accidents or in emergency.

Performance and Evaluation

The expected performance of the medium is liable to use as per the direction on the label when stored at optimum conditions and within expiry date.

Quality Control

Appearance	Light beige colored free flowing, homogeneous powder
Reaction of 2.90% solution	7.1 ±0.2 at 25 °C
pH	6.90- 7.30
Color and clarity of ready medium	Light yellow colored clear solution
Negative control	Performed using sterile distilled water

Different Microbial Response: Cultural characteristics observed after incubation at 30-35°C for 2 to 3 days.

Organism	ATCC	Inoculum (CFU)	Growth
* <i>Clostridium sporogenes</i>	11437	50-100	Luxuriant
* <i>Clostridium perfringens</i>	3624	50-100	Luxuriant
* <i>Bacteroides vulgatus</i>	8482	50-100	Luxuriant
<i>Staphylococcus aureus</i>	25923	50-100	Luxuriant
<i>Pseudomonas aeruginosa</i>	27853	50-100	Luxuriant
<i>Escherichia coli</i>	8739	50-100	Luxuriant
<i>Escherichia coli</i>	25922	50-100	Luxuriant
<i>Salmonella typhimurium</i>	14028	50-100	Luxuriant

Note: * incubate at anaerobic conditions

This document has been produced electronically and it is valid without signature.

www.oxfordlabchem.com

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Storage and Shelf Life: The product is highly hygroscopic; keep the container tightly closed at all times and store it properly as per the conditions mentioned on the label. The declared expiry is valid only when stored as per the conditions mentioned on the label.

Note: Sterilize media immediately after reconstitution.

Disposal: To avoid the contamination or propagation of any hazardous microbes the used, unusable or modified preparation of this product must be disposed after autoclaving after completion of task.

Reference

1. *Atlas, R. M. (2005). Handbook of media for environmental microbiology. CRC press.*
2. *N.I.H. Memorandum, (1955) Culture Media for Sterility Tests, 4th Revision.*
3. *The United States Pharmacopoeia, (2019), The United States Pharmacopoeial Convention. Rockville, MD.*

Disclaimer:

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.

This document has been produced electronically and it is valid without signature.

www.oxfordlabchem.com