

TECHNICAL DATA SHEET

Soya Casein Digest Agar (Harmonized) (Tryptone Soya Agar)

Principle

Soybean casein digest agar is used for cultivation of a wide variety of organisms. It is also recommended by USP, IP and EP for sterility testing and as medium for microbial limit testing of pharmaceutical products and raw material used in pharmaceutical industries. The medium is a highly nutritious and prepared in accordance with the harmonized principles of USP/EP/IP. Medium is consisting of pancreatic digest of casein, papain digest of soybean, sodium chloride and agar. The pancreatic digest of casein, papain digest of soybean provides ample amount of the carbon and nitrogen source and trace. Sodium chloride maintains the osmotic balance and agar is used as solidifying agent.

Use: For isolation and cultivation of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.

Contents*

Ingredients	Gram/Liter
Pancreatic Digest of Casein	15.00
Papain Digest of Soybean	5.00
Sodium Chloride	5.00
Agar	15.00
pH at 25°C	7.3 ±0.2

* Formula adjusted for optimum performance and parameters

Directions: Dissolve 40.00 grams in 1000 ml distilled. Boil to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121 °C) for 15 min, cool it to 42-45 °C and distribute aseptically in petri plates and allow to solidify. Ensure complete solidification and inoculate test sample aseptically.

Specimens types analyzed

Pharmaceutical samples, clinical and non-clinical samples etc.

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Precautions to be taken

These microbial media are intended for the in-vitro use only. All the handling, experiments, storage, and discarding should be performed with the help of skilled and knowledgeable technicians and as per the established guidelines. The material should be disposed only after proper sterilization by autoclaving. Please go through the MSDS of the media to avoid any accidents or in emergency.

Performance and Evaluation

The expected performance of the medium is liable to use as per the direction on the label when stored at optimum conditions and within expiry date.

Quality Control

Appearance	Light beige colored, free-flowing, homogeneous
Reaction of 4.0% solution	7.30 $\pm$ 0.2 at 25 °C
pH	7.10- 7.50
Gelling	Firm comparable with 1.5% agar gel
Color and clarity of ready medium	Light amber, clear opalescent gel
Growth Promotion properties	Best at $\leq$ 100 CFU at 32-37 °C for 18-72 h
Indicative properties	Optimum at $\leq$ 100 CFU at 32-37 °C for 18-48 h
Negative control	Performed using sterile distilled water

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Different Microbial Response

Prepare media as per the label directions.

Growth Promotion Test: Growth promotion is carried out in accordance with the harmonized method of USP/EP/JP/IP and growth is observed after incubation at 30-35°C for 18-24 hours for bacteria and 20°C/25°C 3-5 days for fungi.

Organism	ATCC	Inoculum (CFU)	Growth	Recovery
<i>Staphylococcus aureus</i>	6538	50-100	Luxuriant	≥ 70 %
<i>Staphylococcus aureus</i>	25923	50-100	Luxuriant	≥ 70 %
<i>Bacillus spizizenii</i>	6633	50-100	Luxuriant	≥ 70 %
<i>Pseudomonas aeruginosa</i>	9027	50-100	Luxuriant	≥ 70 %
<i>Pseudomonas aeruginosa</i>	27853	50-100	Luxuriant	≥ 70 %
<i>Salmonella typhimurium</i>	14028	50-100	Luxuriant	≥ 70 %
<i>Escherichia coli</i>	8739	50-100	Luxuriant	≥ 70 %
<i>Candida albicans</i>	10231	50-100	Luxuriant	≥ 70 %
<i>Aspergillus brasiliensis</i>	16404	50-100	Luxuriant	≥ 60 %

Storage and Shelf Life: The product is highly hygroscopic; keep the container tightly closed at all times and store it properly as per the conditions mentioned on the label. The declared expiry is valid only when stored as per the conditions mentioned on the label.

Note: Sterilize media immediately after reconstitution.

Disposal: To avoid the contamination or propagation of any hazardous microbes the used, unusable or modified preparation of this product must be disposed after autoclaving after completion of task.

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Reference

1. Atlas, R. M. (2005). Handbook of media for environmental microbiology. CRC press.
2. British Pharmacopoeia, (2011), The Stationery office British Pharmacopoeia
3. Difco Manual (1998). 11th Edition. Difco Laboratories., Division of Becton Dickinson and Company, Sparks, Maryland, USA.
4. European Pharmacopoeia, (2011), European Dept. for the quality of Medicines.
5. Indian Pharmacopoeia, (2018), Govt. of India, the Controller of Publication, New Delhi.
6. Rand, M. C., Arnold E. Greenberg, and Michael J. Taras, (1976), Standard methods for the examination of water and wastewater. Prepared and published jointly by American Public Health Association, American Water Works Association, and Water Pollution Control Federation.
7. The Japanese Pharmacopoeia, 17th Ed. (2016), The Ministry of Health, Labour and Welfare
8. The United States Pharmacopoeia, (2014), The United States Pharmacopeial Convention. 12601 Twinbrook Parkway, Rockville, MD 20852.

Disclaimer:

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.

This document has been produced electronically and it is valid without signature.

www.oxfordlabchem.com