

TECHNICAL DATA SHEET

Asparagine Proline Broth

Principle

Asparagine proline broth is an enrichment broth for *Pseudomonas aeruginosa*. The composition is strictly mineral base with enantiomeric forms of asparagine and proline, magnesium sulphate, dipotassium sulphate and potassium sulphate. DL-asparagine and proline serve as the sole source of nitrogen. The dipotassium and potassium salts act as a buffer system and magnesium sulfate performs multiple functions, magnesium ion required in a large variety of enzymatic reactions, reproduction and also acts as a buffer. *Pseudomonas aeruginosa* hydrolyze asparagine to aspartic acid and reproduce vigorously, the appearance of growth with or without fluorescent pigmentation is considered a presumptive test for *P. aeruginosa*. The microbial count can be determined by using the MPN test and confirmation need to be done by subculturing on cetrimide agar.

Use: For the cultivation of *Pseudomonas aeruginosa* by membrane filter technique.

Contents*

Ingredients	Gram/Liter
DL-Asparagine	2.00
L-Proline	1.00
Dipotassium phosphate, anhydrous	1.00
Magnesium Sulphate	0.50
Potassium Sulphate	10.00
pH at 25°C	7.2 ±0.2

* Formula adjusted for optimum performance and parameters

Directions: Dissolve 14.50 grams in 900 ml distilled water, boil to dissolve the medium completely allow to cool at room temperature and add 25ml of ethanol and dilute up to 1000 ml with distilled water. Distribute as desired in screw-capped bottles. Do not used polypropylene caps with seal. Close the caps so that the seal in the lid just touches the lip of the bottle. Sterilize by autoclaving at 15 lbs pressure (121 °C) for 15 min, cool it to 42-45 °C and inoculate test sample aseptically. Alternatively, sterilize the ethanol by filtration through the cellulose acetate or nitrate membrane of 0.22 µm and then aseptically to the medium after autoclaving and cooling.

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Specimens types analyzed

Drinking water and packing drinks and carbonated beverages etc.

Precautions to be taken

These microbial media are intended for the in-vitro use only. All the handling, experiments, storage, and discarding should be performed with the help of skilled and knowledgeable technicians and as per the established guidelines. The material should be disposed only after proper sterilization by autoclaving. Please go through the MSDS of the media to avoid any accidents or in emergency.

Performance and Evaluation

The expected performance of the medium is liable to use as per the direction on the label when stored at optimum conditions and within expiry date.

Quality Control

Appearance	Off white colored free flowing, homogeneous powder
Reaction of 1.45% solution	7.2 ±0.2 at 25 °C
pH	7.00- 7.40
Color and clarity of ready medium	Colorless clear solution, without any precipitate
Growth Promotion properties	Best at ≤ 100 CFU at 32-37°C for 18-72 h
Indicative properties	Optimum at ≤ 100 CFU at 32-37°C for 18-48 h
Negative control	Performed using sterile distilled water

Different Microbial Response: Prepare media as per the label directions. Inoculate (Inoculum 50-100 CFU) and incubate the media at 35±2°C for 18-48 hours.

Organism	ATCC	Growth	Color
<i>Pseudomonas aeruginosa</i>	27853	Luxuriant	Greenish yellow pigment
<i>Escherichia coli</i>	8739	None to Poor	--

Storage and Shelf Life: The product is highly hygroscopic; keep the container tightly closed at all times and store it properly as per the conditions mentioned on the label. The declared expiry is valid only when stored as per the conditions mentioned on the label. Note: Sterilize media immediately after reconstitution.

This document has been produced electronically and it is valid without signature.

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Disposal: To avoid the contamination or propagation of any hazardous microbes the used, unusable or modified preparation of this product must be disposed after autoclaving after completion of task.

Reference

1. *Atlas, R. M. (2005). Handbook of media for environmental microbiology. CRC press.*
2. *Baird R.B., Eaton A.D., and Rice E.W., (Eds.), (2015), Standard Methods for the Examination of Water and Wastewater, 23rd Ed., APHA, Washington, D.C.*
3. *Bureau of Indian Standards (BIS), (2005), Draft IS 13428:2005.*

Disclaimer:

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.

This document has been produced electronically and it is valid without signature.

www.oxfordlabchem.com